

## 1 IDENTIFICATION OF HAZARDOUS CHEMICAL AND OF THE SUPPLIER

### Product identifier

Trade name E.Mix PG Non Shrink Grout

Safety data sheet no.: XXP014519

### Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Grouting mortar

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint-Gobain (Singapore) Pte Ltd  
2 Venture Drive, #13-18 Vision Exchange, Singapore 608526  
Tel: +65 6330 8288  
Fax: +65 6330 8288

## 2 HAZARDS IDENTIFICATION

### Classification of the substance or mixture



corrosion

Eye Dam. 1      H318      Causes serious eye damage.



Skin Irrit. 2      H315      Causes skin irritation.  
Skin Sens. 1      H317      May cause allergic skin reaction.  
STOT SE 3      H335      May cause respiratory irritation.

### Label elements

#### GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

### Hazard pictograms

H315      Causes skin irritation.  
H318      Causes serious eye damage.  
H317      May cause allergic skin reaction.  
H335      May cause respiratory irritation.

### Precautionary statements

P101      If medical advice is needed, have product container or label at hand.  
P102      Keep out of reach of children.  
P103      Read label before use.  
P305+P351+P338      IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310      Immediately call a POISON CENTER/doctor.  
P321      Specific treatment (see on this label).  
P362+P364      Take off contaminated clothing and wash it before reuse.  
P405      Store locked up.  
P501      Dispose of contents/container in accordance with local/regional/national/ international

**Trade name E.Mix PG Non Shrink Grout**

regulations.

**Additional information:**

Safety data sheet available on request.

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).

**Other hazards**

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

### 3 COMPOSITION AND INFORMATION OF THE INGREDIENTS

**Chemical characterisation: Mixtures**

**Description:** Mixture of substances listed below with non hazardous additions.

<b>Dangerous components:</b>		
CAS: 65997-15-1	cement portland, grey	25-50%
EINECS: 266-043-4	☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 69012-64-2	amorphous silica (fume)	2-5%
EINECS: 273-761-1		

**SVHC** Void

**Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%.

The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

### 4 FIRST AID MEASURES

**Description of first aid measures**

**General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.

If skin irritation continues, consult a doctor.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing**

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Trade name E.Mix PG Non Shrink Grout

**Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation with added, activated carbon.

**5 FIRE-FIGHTING MEASURES**

**Extinguishing media**

**Suitable extinguishing agents** The product is not combustible.

**Special hazards arising from the substance or mixture** No further relevant information available.

**Advice for firefighters**

**Protective equipment:** No special measures required.

**6 ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust. Ensure adequate ventilation.

**Environmental precautions:** No special measures required.

**Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 HANDLING AND STORAGE**

**Handling**

**Precautions for safe handling**

Thorough dedusting.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Store in cool, dry conditions in well-sealed receptacles.

Protect from humidity and water.

**Specific end use(s)** No further relevant information available.

**8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**Additional information about design of technical facilities:** No further data; see item 7.

<b>Trade name E.Mix PG Non Shrink Grout</b>
---

**Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

PNECs				
CAS: 65996-69-2 Slags, ferrous metal, blast furnace				
Predicted No Effect Concentration		1,000 mg/kgxdwt (earth rating factor)		
Predicted No Effect Concentration		500 mg/l (sea water rating factor)		
		5,000 mg/l (fresh water rating factor)		
CAS No.	Designation of material	%	Type	Value Unit
CAS: 65997-15-1 cement portland, grey				
PEL (Malaysia)	Long-term value: 10 mg/m <sup>3</sup>			
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m <sup>3</sup>			
	*total dust **respirable fraction			
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup>			
	*total dust **respirable fraction			
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup>			
	E; *as respirable fraction			
CAS: 69012-64-2 amorphous silica (fume)				
PEL (Malaysia)	Long-term value: 2* mg/m <sup>3</sup>			
	wasap; *Pecahan ternafaskan			
TLV (USA)	TLV withdrawn			

**Additional Occupational Exposure Limit Values for possible hazards during processing:**

Total inhalable dust: 10 mg/m<sup>3</sup>

Respirable dust (< 5µm): 4 mg/m<sup>3</sup>

Quartz respirable dust (< 5 µm) : 0,15 mg/m<sup>3</sup>

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Short term filter device:

Filter P2.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands: Protective gloves.**

**Material of gloves** Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Trade name E.Mix PG Non Shrink Grout

**Eye protection:** Tightly sealed goggles

**Body protection:** Protective work clothing.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Information on basic physical and chemical properties</b>	
<b>General Information</b>	
<b>Appearance:</b>	
<b>Form:</b>	Powder
<b>Colour:</b>	Grey
<b>Odour:</b>	Uncharacteristic.
<b>Odour threshold:</b>	Not determined.
<b>pH-value:</b>	Alkaline
<b>Change in condition</b>	
<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	Not applicable
<b>Flash point:</b>	Not applicable
<b>Flammability (solid, gas):</b>	Product is not flammable.
<b>Ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Oxidising properties</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable
<b>Density at 23 °C:</b>	1.7 g/cm <sup>3</sup> (DIN 51757)
<b>Bulk density:</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Hardens when in contact with water.
<b>Segregation coefficient (n-octanol/water) log</b>	
<b>Pow:</b>	Not determined.
<b>Viscosity:</b>	
<b>dynamic:</b>	Not applicable.
<b>kinematic:</b>	Not applicable.
<b>Solvent content:</b>	
<b>EU-VOC</b>	0.00 %
<b>Solids content:</b>	100 %
<b>Other information</b>	None.

## 10 STABILITY AND REACTIVITY

**Reactivity** No further relevant information available.

**Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**Possibility of hazardous reactions**

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 TOXICOLOGICAL INFORMATION

**Information on toxicological effects Acute toxicity**

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 65997-15-1 cement portland, grey</b>			
Dermal	LD50	>2,000 mg/kg	(Rabbit)
<b>CAS: 65996-69-2 Slags, ferrous metal, blast furnace</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>4,000 mg/kg	(Rat)
Inhalative	LC50/4h	>5 mg/l	(Rat)

**Primary irritant effect:**

**Skin corrosion/irritation** Irritant to skin and mucous membranes.

**Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.

**Respiratory or skin sensitisation** Sensitisation possible through skin contact.

**Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

## 12 ECOLOGICAL INFORMATION

**Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Type of test Effective concentration Method Assessment**

**CAS: 65996-69-2 Slags, ferrous metal, blast furnace**

LC50/96h	>100 mg/l (Leuciscus idus (Orfe))
LC0/96h	>100 mg/l (Leuciscus idus (Orfe)) 0,000 mg/l (Algae)
EC50/72h	>90,000 mg/l (Algae)
NOEC (72h)	50-100 mg/l (Algae)
NOEC (21d)	1,563 mg/l (Daphnia magna)
EC 0/48h	>100 mg /l (Daphnia magna)

Trade name E.Mix PG Non Shrink Grout

**Persistence and degradability** No further relevant information available.

**Behaviour in environmental systems:**

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

**Ecotoxical effects:**

**Remark:**

The product contains substances which causes severe clouding in water

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**Other adverse effects** No further relevant information available.

### 13 DISPOSAL CONSIDERATIONS

**Waste treatment methods**

**Recommendation**

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish.

Possible waste code 17 09 04.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleaning agent:** Thoroughly shake out sacks.

### 14 TRANSPORT INFORMATION

UN-Number ADR, ADN, IMDG, IATA	Void
UN proper shipping name ADR, ADN, IMDG, IATA	Void
Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
Packing group ADR, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

## 15 REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements

cf. section 2

The product is classified and labelled according to the Globally Harmonised System (GHS).

### Hazard pictograms



### Signal word Danger

### Hazard-determining components of labelling:

Cement Portland, grey

### Hazard statements

- |      |                                   |
|------|-----------------------------------|
| H315 | Causes skin irritation.           |
| H318 | Causes serious eye damage.        |
| H317 | May cause allergic skin reaction. |
| H335 | May cause respiratory irritation. |

### Precautionary statements

- |                |  |
|----------------|--|
| P101           | If medical advice is needed, have product container or label at hand.  |
| P102           | Keep out of reach of children.   |
| P103           | Read label before use.   |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a POISON CENTER/doctor.   |
| P321           | Specific treatment (see on this label).  |
| P362+P364      | Take off contaminated clothing and wash it before reuse.   |
| P405           | Store locked up.   |
| P501           | Dispose of contents/container in accordance with local/regional/national/international regulations.                              |

### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.



## 16 OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** Research and Development

**Contact:** Teh Kim Heok

**Phone:** +603-60389094/9084

[KimHeok.Teh@saint-gobain.com](mailto:KimHeok.Teh@saint-gobain.com)

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer  
(Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.