

SAFETY DATA SHEET
ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

1 IDENTIFICATION OF HAZARDOUS CHEMICAL AND OF THE SUPPLIER

Product identifier

Trade Name Weberdry ES 100 (Part A) – Powder

Safety Data Sheet No.: XXP014529-a

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Details of the Manufacturer/Supplier:

Saint-Gobain Singapore Pte Ltd
2 Venture Drive, #13-18, Vision Exchange, Singapore 608526
Tel: +65 6330 8288
Fax: +65 6330 8289

2 HAZARDS IDENTIFICATION

Classification of the substance or mixture



| | | |
|------------|------|---------------------------|
| Eye Dam. 1 | H318 | Causes serious eye damage |
|------------|------|---------------------------|



| | | |
|---------------|------|-------------------------------------|
| Skin Irrit. 2 | H315 | Causes skin irritation |
| Skin Sens. 1 | H317 | May cause an allergic skin reaction |
| STOT SE 3 | H335 | May cause respiratory irritation |

Label elements

GHS label elements

The product is classified and labelled according to the Global Harmonised System (GHS).

Hazard pictograms



GHS05 GHS07

Signal Word Danger

Hazard-determining components of labelling: Portland cement, grey

SAFETY DATA SHEET
ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

Precautionary Statements

| | |
|--------------------|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing. |
| P310 | Immediately call a poison center or doctor. |
| P321 | Specific treatment (see on this label). |
| P362 + P364 | Take off contaminated clothing and wash it before reusing. |
| P405 | Store locked up. |
| P501 | Dispose of contents or container in accordance with local/regional/national/international regulations. |

Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

3 COMPOSITION AND INFORMATION OF THE INGREDIENTS

Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

| Dangerous components: | | |
|------------------------------|---|--------|
| CAS: 65997-15-1 | Portland Cement, Grey Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335 | 25-50% |
| CAS: 471-34-1 | Calcium carbonate | 25-50% |

SVHC: Void

Additional Information: For the wording of the listed hazard phrases refer to section 16.

4 FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove victim immediately from dangerous area. If the patient is unwell, consult a doctor and present this data sheet.

After inhalation

In case of unconsciousness, place patient stably in side position for transportation.

Supply fresh air and seek medical attention.

After skin contact

Immediately wash with water and soap. Rinse thoroughly.

If skin irritation persists, consult a doctor.

SAFETY DATA SHEET
ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

After eye contact

Rinse opened eye for several minutes under running water (at 20-30°C temperature). Consult a doctor.

After swallowing

Rinse our mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Information for doctor/s

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

If swallowed: gastric irrigation with added, activated carbon.

5 FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable extinguishing agents

The product is not combustible.

Special hazards arising from the substance or mixture

No further relevant information available.

Advice for firefighters

Protective equipment

No special measures required.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation.

Environmental precautions

No special measures required.

Methods and material for containment and clean up

Use neutralizing agent

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment

See Section 13 for disposal information.

SAFETY DATA SHEET

ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

7 HANDLING AND STORAGE

Handling

Precautions for safe handling

Thorough de-dusting.
Keep receptacles tightly sealed.
Provide suction extractors if dust is formed.

Information about fire and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well-sealed receptacles.
Protect from humidity and water.

Specific end use(s)

No further relevant information available.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

| DNELs | | |
|---|--|--|
| CAS: 471-34-1 Calcium carbonate | | |
| Inhalative | Derived No Effect Level | 6.36 mg/m ³ (worker local long term value) 1.06 mg/m ³ (consumer local long term value) |
| CAS No. Designation of material % Type Value Unit | | |
| CAS: 65997-15-1 Portland cement, grey | | |
| PEL (Singapore) | Long term value: 10 mg/m ³ | |
| PEL (USA) | Long term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction | |
| REL (USA) | Long term value: 10* 5** mg/m ³ *total dust **respirable fraction | |
| TLV (USA) | Long term value: 1* mg/m ³ E; *as respirable fraction | |

SAFETY DATA SHEET

ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

| CAS: 471-34-1 Calcium carbonate | |
|---------------------------------|--|
| PEL (Singapore) | Long term value: 10 mg/m ³ |
| PEL (USA) | Long term value: 15* 5** mg/m ³ *total dust **respirable fraction |
| REL (USA) | Long term value: 10* 5** mg/m ³ *total dust **respirable fraction |
| TLV (USA) | TLV withdrawn |

Additional Occupational Exposure Limit Values for possible hazards during processing:

Total inhalable dust: 10 mg/m³

Respirable dust (<5 µm): 4 mg/m³

Additional information:

The applicable TRGS 900 (MAK list) was used as basis for the preparation and/or revision of this safety data sheet.

Exposure Controls

Personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages, and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use moisturizing skin cream after processing the product.

Respiratory protection:

Short term filter device: Filter P2.

In case of brief exposure or low pollution, use respiratory filter device.

In case of intensive or longer exposure, use self-contained respiratory protective device.

Protection of hands

Protective gloves.

Material of gloves

Nitrile impregnated cotton gloves complying with EN 374-1 standard.

Eye protection

Tightly sealed goggles.

Body protection

Protective work clothing.

SAFETY DATA SHEET

ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

9 PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--|
| Information on basic physical and chemical properties | |
| General Information | |
| Appearance | |
| Form: | Powder |
| Colour: | Grey |
| Odour: | Odourless |
| Odour threshold: | Not determined |
| pH-value: | Alkaline |
| Change in condition | |
| Melting point/freezing point: | Undetermined |
| Initial boiling point and boiling range: | Undetermined |
| Flash point: | Not applicable |
| Flammability (solid, gas): | Product is not flammable |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Auto-ignition temperature: | Product is not self-igniting |
| Explosive properties: | Product does not present an explosion hazard |
| Explosion limits: | |
| Lower: | Not determined |
| Upper: | Not determined |
| Oxidising properties | Not determined |
| Vapour pressure: | Not applicable |
| Density at 20°C: | 1.1-1.2 g/cm ³ (DIN 51757) |
| Bulk density: | Not determined |
| Relative density: | Not determined |
| Vapour density: | Not applicable |
| Evaporation rate: | Not applicable |
| Solubility in / Miscibility with Water: | Hardens when in contact with water. |
| Segregation coefficient (n-octanol/water) log Pow: | Not determined |
| Viscosity: | |
| Dynamic: | Not applicable |
| Kinematic: | Not applicable |
| Solvent content: | |
| Water: | 0.0% |
| EU-VOC (%) | 0.00% |
| EU-VOC (g/L) | -0.0 g/L |
| Solids Content: | 100% |
| Other information | None |

10 STABILITY AND REACTIVITY

Reactivity

No further relevant information available.

Chemical Stability

Stable at recommended storage conditions

SAFETY DATA SHEET
ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

Thermal decomposition

No decomposition if used according to specifications.

Possibility of hazardous reactions

Reacts with acids

Reacts with light alloys in the presence of moisture to form hydrogen

Conditions to avoid

No further relevant information available.

Incompatible materials

No further relevant information available

Hazardous decomposition products

No dangerous decomposition products known

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

| Components | Type | Value | Species |
|---------------------------------------|--------|-------------------|---------|
| CAS: 65997-15-1 Portland cement, grey | Dermal | LD50 >2,000 mg/kg | Rabbit |
| CAS: 471-34-1 Calcium carbonate | Oral | LD50 6,450 mg/kg | Rat |
| | Dermal | LD50 6,450 mg/kg | Rat |

Primary irritant effect:

Skin corrosion/irritation: Irritant to skin and mucous membranes

Serious eye damage/irritation: Strong irritant with the danger of severe eye injury

Respiratory or skin sensitisation: Sensitisation possible through skin contact

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Irritant

12 ECOLOGICAL INFORMATION

Toxicity

Aquatic Toxicity: No further relevant information available

| Type of test effective concentration Method Assessment | |
|--|-----------------|
| CAS: 471-34-1 calcium carbonate | |
| EC50/72h | 14 mg/l (Algae) |

Persistence and degradability: No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

SAFETY DATA SHEET

ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

Ecotoxical effects:

Remark:

The product contains substances which causes severe clouding in water

The product contains substances which cause local pH change and thus have a detrimental effect in fish and bacteria.

Additional ecological information:

General Notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Results of PBT and vPvB assessment:

PBT: Does not contain PBT substances

vPvB: Does not contain vPvB substances

Other adverse effects: No further relevant information available.

13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended Cleaning agent: Thoroughly shake out sacks.

14 TRANSPORT INFORMATION

| | |
|---|---|
| UN-Number ADR, AND, IMDG, IATA | Void |
| UN Proper shipping name ADR, AND, IMDG, IATA | Void |
| Transport Hazard Class(es) ADR, AND, IMDG, IATA Class | Void |
| Packing group ADR, IMDG, IATA | Void |
| Environmental Hazards: | Not applicable |
| Special precautions for user | Not applicable |
| Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable |
| Transport/Additional Information | Not dangerous according to the above specifications |
| UN "Model Regulation": | Void |

SAFETY DATA SHEET
ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Directive 2004/42/CE (VOC), cf, section 9

Poisons Act – Schedule 1

None of the ingredients is listed.

Poisons Act – Schedule 2, Group II

None of the ingredients is listed.

Health Products Act – First Schedule – Psychotropic Substances

None of the ingredients is listed.

GHS label elements

cf. section 2

The product is classified and labelled according to the Global Harmonised System (GHS).

Hazard pictograms



GHS05 GHS07

Signal Word Danger

Hazard-determining components of labelling: Portland cement, grey

Precautionary Statements

| | |
|--------------------|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read label before use. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses (if present and easy to do). Continue rinsing. |
| P310 | Immediately call a poison center or doctor. |
| P321 | Specific treatment (see on this label). |
| P362 + P364 | Take off contaminated clothing and wash it before reusing. |
| P405 | Store locked up. |
| P501 | Dispose of contents or container in accordance with local/regional/national/international regulations. |

Directive 2012/18/EU

Named dangerous substances – ANNEX I

None of the ingredients is listed

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SAFETY DATA SHEET
ACCORDING SS 586: PART 3



WEBERDRY ES 100 (PART A) - POWDER

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

16 OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute or guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:
Research and Development

Contact:
Teh Kim Heok +603-60389094/9084
KimHeok.Teh@saint-gobain.com

Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern (REACH regulation)
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitization – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

1 IDENTIFICATION OF HAZARDOUS CHEMICAL AND OF THE SUPPLIER**Product Identifier**Trade name WEBERDRY ES 100 (Part B) – Liquid

Safety data sheet no.: XXP014529-b

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Manufacturer/Supplier:

Saint-Gobain Singapore Pte Ltd
2 Venture Drive, #13-18, Vision Exchange, Singapore 608526
Tel: +65 6330 8288
Fax: +65 6330 8289

2 HAZARDS IDENTIFICATION

Skin Sens. 1 H317 May cause an allergic skin reaction

Label elements**GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms

GHS07

Signal Word Warning**Hazard-determining components of labelling:**

Reaction mass of: 5-chloro-2methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isotiazol-3-one [EC no. 220-239-6] (3:1)

Hazard statements

H317 May cause an allergic skin reaction

Precautionary statements

P101 If medical advice is needed, have product container and label at hand
P102 Keep out of reach of children
P103 Read label before use
P261 Avoid breathing dust/fume/gas/mist/vapours/spray
P280 Wear protective gloves
P362 + P364 Take off contaminated clothing and wash it before reuse.
P333 + P313 If skin irritation or rash occur, get medical advice/attention.

SAFETY DATA SHEET

ACCORDING SS 586: PART 3

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

P321 Specific treatment (see on this label)
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances

vPvB: Does not contain vPvB substances

3 COMPOSITION AND INFORMATION OF THE INGREDIENTS

Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

| Dangerous components: | | |
|-----------------------|--|--------|
| CAS: 9002-93-1 | 2-[4-(2,4,4-trimethylpentan-2-yl)phenoxy]ethanol | 0.1-1% |
| CAS: 55965-84-9 | Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isotiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1, H317 | <0.1% |

SVHC Void

| | |
|----------------|--|
| CAS: 9002-93-1 | 2-[4-(2,4,4-trimethylpentan-2-yl)phenoxy]ethanol |
|----------------|--|

Additional information For the wording of the listed hazard phrases, refer to section 16.

4 FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell, consult a doctor and present this data sheet.

After inhalation

In case of unconsciousness, place patient stably in side position for transportation. Supply fresh air and contact a doctor.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eye contact

Rinse opened eye for several minutes under running water (at 20-30°C temperature).

After swallowing

If symptoms persist, consult a doctor.

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

Information for doctor

Most important symptoms and effects, both acute and delayed

No further relevant information available

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

The product is not combustible

Special hazards arising from the substance or mixture

No further relevant information available

Advice for firefighters

Protective equipment: No special measures required.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Not required

Environmental precautions

No special measures required

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 HANDLING AND STORAGE

Handling

Precautions for safe handling: No special precautions are necessary if used correctly.

Information about fire and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

SAFETY DATA SHEET

ACCORDING SS 586: PART 3

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7

Control parameters

Ingredients with limit values that require monitoring at the workplace:

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Use a moisturizing skin cream after processing the product.

Respiratory protection: Not required

Protection of hands: Protective gloves

Eyes protection: Goggles recommended during refilling

Body protection: Protective work clothing

9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General information

| | |
|--|--|
| Appearance: | |
| Form: | Liquid |
| Colour: | White |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| pH-value: | Slightly alkaline |
| Change in condition | |
| Melting point/freezing point: | Undetermined |
| Initial boiling point and boiling range: | 100°C (DIN) |
| Flash point: | Not applicable |
| Flammability (solid, gas): | Not applicable |
| Ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Auto-ignition temperature: | Product is not self-igniting |
| Explosive properties: | Product does not present an explosion hazard |
| Explosion limits: | |
| Lower: | Not determined |
| Upper: | Not determined |
| Oxidising properties | Not determined |
| Vapour pressure at 20°C | 48 hPa (DIN 51640) |
| Density at 20°C: | 1.02 g/cm ³ (DIN 51757) |
| Bulk density: | Not determined |
| Relative density | Not determined |
| Vapour density | Not determined |
| Evaporation rate | Not determined |

SAFETY DATA SHEET

ACCORDING SS 586: PART 3

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

| | |
|--|--|
| Solubility in/ Miscibility with Water: | Miscible |
| Segregation coefficient (n-octanol/water) log Pow: | Not determined |
| Viscosity Dynamic: Kinematic: | Not determined Not determined |
| Solvent separation test: Solvent content: EU-VOC (%) EU-VOC (g/L) Other information | Not determined 0.00% 0.0 g/L No further relevant information available. |

10 STABILITY AND REACTIVITY

Reactivity

No further relevant information available

Chemical stability

Stable at recommended storage conditions

Thermal decomposition/Conditions to be avoided:

No decomposition if used according to specifications

Possibility of hazardous reactions

No dangerous reactions known

Conditions to avoid

No further relevant information available

Incompatible materials

No further relevant information available

Hazardous decomposition products:

No dangerous decomposition products known

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

| Components | Type | Value | Species |
|--|------|--------------------|---------|
| Watery copolymerisat-dispersion based on styrene and acrylic-acide-ester | Oral | LD50 > 5,000 mg/kg | Rat |

Primary irritant effect:

Skin corrosion/irritation Irritant to skin and mucous membranes

Serious eye damage/irritation No irritating effect known

Respiratory or skin sensitization Sensitisation possible through skin contact

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version.

SAFETY DATA SHEET

ACCORDING SS 586: PART 3

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

12 ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No further relevant information available

| Type of test | Effective concentration | Method | Assessment |
|--|-------------------------|-----------------------------------|------------|
| Watery copolymerisat-dispersion based on styrene and acrylic-acide-ester | | | |
| LC50/96h | >500 mg/l | (Brachydanio rerio (zebra danio)) | |
| EC 0 | 1,000 mg/l | (Activated sludge) | |

Persistence and degradability No further relevant information available

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available

Mobility in soil No further relevant information available

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances

vPvB: Does not contain vPvB substances

Other adverse effects No further relevant information available

13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation

Small amounts may be diluted with plenty of water and washed away into a sewage system. Dispose of bigger amounts in accordance with Local Authority requirements.

Uncleaned packaging

Recommendation: Dispose of packaging according to regulations on the disposal of packaging.

14 TRANSPORT INFORMATION

| | |
|--|---|
| UN-Number ADR, AND, IMDG, IATA | Void |
| UN proper shipping name ADR, AND, IMDG, IATA | Void |
| Transport hazard class(es) ADR, AND, IMDG, IATA Class | Void |
| Packing group ADR, IMDG, IATA | Void |
| Environmental hazards | Not applicable |
| Special precautions for user | Not applicable |
| Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable |
| Transport /Additional information | Not dangerous according to the above specifications |
| UN "Model Regulation" | Void |

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

15 REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act – Schedule 1

None of the ingredients is listed

Poisons Act – Schedule 2, Group II

None of the ingredients is listed

Health Products Act – First Schedule – Psychotropic Substances

None of the ingredients is listed

GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS07

Signal Word Warning

Hazard-determining components of labelling:

Reaction mass of: 5-chloro-2methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isotiazol-3-one [EC no. 220-239-6] (3:1)

Hazard statements

H317 May cause an allergic skin reaction

Precautionary statements

P101 If medical advice is needed, have product container and label at hand
P102 Keep out of reach of children
P103 Read label before use
P261 Avoid breathing dust/fume/gas/mist/vapours/spray
P280 Wear protective gloves
P362 + P364 Take off contaminated clothing and wash it before reuse.
P333 + P313 If skin irritation or rash occur, get medical advice/attention.
P321 Specific treatment (see on this label)
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances – ANNEX I

None of the ingredients is listed

National regulations

Other regulations, limitations and prohibitive regulations

Medical check-ups

| | |
|----------------|--|
| CAS: 9002-93-1 | 2-[4-(2,4,4-trimethylpentan-2-yl)phenoxy]ethanol |
|----------------|--|

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

WEBERDRY ES 100 (PART B) - LIQUID

Printing date 01.01.2021

Version number 3

Revision: 05.09.23

16 OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute or guarantee for any specific product feature and shall not establish a legally valid contractual relationship.

Department issuing SDS: Research and Development

Contact:

Teh Kim Heok +603-60389094/9084

KimHeok.Teh@saint-gobain.com

Abbreviations and acronyms:

ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute Toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Sens. 1: Skin sensitization – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment – acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment – long term aquatic hazard – Category 1